

Sri D. PARAMESWARAPPA.—Is it not justified that the owners of lands in the atchkat whose lands have become saline and alkaline should be given remission of land revenue ?

Sri S. NIJALINGAPPA.—This is a matter for suggestion and it will be examined.

Sri K. LAKKAPPA.—May I know how many acres of alkaline land are there under the atchkat ?

Sri S. NIJALINGAPPA.—It has been answered as 907 acres.

ಶ್ರೀ ಎನ್. ಹುಚ್ಚಮಾಸ್ತಿಗೌಡ.—ಸಾಮಾನ್ಯವಾಗಿ ಭೂಮಿಯಲ್ಲಿ ಒಂದು ರೀತಿಯಾಗಿ ಚೌಳು ಬಂದು ಕೆಟ್ಟುಹೋಗುವ ಪರಿಸ್ಥಿತಿ ಬರುತ್ತದೆ. ಅದರಿಂದ ಸಾಗುವಳಿಗೆ ಭೂಮಿ ಯೋಗ್ಯವಾಗುವುದಿಲ್ಲ, ಅದ್ದರಿಂದ ಅದರ ಬಗ್ಗೆ ಏನು ಕ್ರಮಗಳನ್ನು ತೆಗೆದುಕೊಳ್ಳಬೇಕೆಂಬುದಾಗಿ ಸಂಬಂಧಪಟ್ಟ ಇಲಾಖೆಯಲ್ಲಿ ಸಿದ್ಧವಾಗಿರತಕ್ಕ ಯೋಜನೆಗಳಿಲ್ಲವೇ ?

ಶ್ರೀ ಎಸ್. ನಿಜಲಿಂಗಪ್ಪ.—ಅದು ಒಂದೇ ಅಲ್ಲ. ಕೆಲವು ಭೂಮಿಗಳಲ್ಲಿ ಇನ್ನೂ ಅನೇಕ ವಿಚಾರಗಳಿರುತ್ತವೆ. ಅನೇಕ ಲಕ್ಷಣಗಳು ಇರುತ್ತವೆ. ಇದು ಎರೇ ಜಮೀನು. ಅದ್ದರಿಂದ ಎಲ್ಲಾ ಕಡೆಯೂ ಈ ಬಗ್ಗೆ ಒಂದೇ ನಿಯಮವನ್ನು ಹಾಕುವುದಕ್ಕಾಗುವುದಿಲ್ಲ.

Sri A. KRISHNA SHETTY.—Such a kind of thing is there all over the State. May I know what action the Government intends to take in the matter ?

Sri S. NIJALINGAPPA.—It happens in some parts of State wherever large schemes are taken up. Each case is examined and due steps taken.

Sri D. PARAMESWARAPPA.—May I know whether report has been submitted by the Agriculture Department in this respect ?

Sri S. NIJALINGAPPA.—A report has been received and it is being examined.

Electrical Appliances supplied for Tiptur General Hospital.

*Q.—180. **Sri K. P. REVANNA SIDDAPPA (Tiptur).**—

Will the Government be pleased to state :—

(a) the estimated cost of the electrical appliances supplied for Tiptur General Hospital building ;

(b) the dimensions of the rooms in the above Hospital ;

(c) the number of outlets and fans provided to them ;

(d) whether they have received any complaints from the Head of the Hospital about the unsatisfactory working of the electrical appliances supplied to the Hospital ;

(e) the reasons for not taking any action, even though this matter was explained to the Hon'ble Chief Minister, Hon'ble Minister for Health and the Chief Engineer on the spots ?

A.—Sri G. B. SHANKAR RAO (Parliamentary Secretary to the Minister for Public Works).—

(a) Rs. 7,171.

(b) and (c) *Vide* statement appended.

(d) Yes.

(e) The Executive Engineer, Public Works Department Electrical Division, requested the Mysore States Electricity Board Authorities at Tumkur and Tiptur to regulate the variations of the voltage which was coming in the way of satisfactory working of the electrical appliances. The same has been rectified.

(SRI G. B. SHANKAR RAO)

STATEMENT

Showing the name of rooms, their dimensions
and the number of outlets and fans provided.

Sl. No.	Name of room	Dimension	No. of outlets and fans provided.	
1	2	3	4	
1	Operation Theatre No. 1 ...	13' x 16'	1	Fancy brackets 4 Nos.
			2	Trozen fitting with 14" 3 ,, dome.
			3	Raise and fall drop 1 No. fixture.
2	Operation Theatre No. 2 ...	16' x 16'	1	Fancy bracket 1 ,,
			2	Raise and Fall drop 1 ,, fixture.
			3	Trozen fitting with 14" dome. 1 ,,
3	Nurses room attached to ... Operation theatre.	10' x 16'	1	Trozen fitting 1 ,,
			2	Fancy Bracket 1 ,,
			3	Batten holder with T. E. shade. 1 ,,
			4	Ceiling fan 1 ,,
4	Special Ward No. 1 ...	20' x 16'	1	Trozen fitting 6 Nos.
			2	Fancy bracket 2 ,,
			3	Ceiling fan 1 No.
5	Special Ward No. 2 ...	14' x 16'	1	Trozen fitting 2 Nos.
			2	Fancy bracket 2 ,,
			3	Ceiling fan. 1 No.
6	Bathrooms attached to ... Special wards 2 Nos.	8' x 8' each	1	Batten Holder with T. E. shade 1 ,,
7	General Wards 4 Nos. ...	each 32' x 20'	1	Trozen fitting 4 x 4 Nos.
			2	Fancy Bracket 4 x 4 ,,
			3	Ceiling fans 4 x 2 ,,
			4	4'-40 W. Fluorescent- 2 ,, light fitting.
8	Bathroom and W. C. ... attached to General Wards. (2 bathrooms and 2 W. C. for each Gl. Ward). (4 x 4) Nos.	7' x 20' each	1	Batten holder 1 x 16 Nos. with T. E. shade for each Bath and W. C.
9	Nurses room attached ... to Gl. wards Nos. 4	8x 20'	1	Trozen fitting 4 x 1 Nos.
			2	Fancy Bracket. 4 x 1 ,,
			3	Ceiling fans 4 x 1 ,,

1	2	3	4
10	Bathroom attached to ... nurses room 4 Nos.	1 Batten Holder with T. E. shade 4 x 1	
11	Nurses room (General) ...	12' x 16'	1 Trozen fitting 2 Nos. 2 Fancy bracket. 1 No. 3 Ceiling fan 1 „
12	Bathroom attached to ... the nurses room.	7' x 4'	1 Batten holder with 1 „ T. E. shade.
13	Dark room ...	7' x 12'	1 Trozen fitting 1 „
14	Store room ...	10' x 16'	1 Trozen fitting 2 Nos.
15	Dressing room ...	10' x 16'	1 Trozen fitting 2 „ 2 Fancy bracket 1 No. 3 Ceiling fan 1 „
16	Compounding Room ...	12' x 16'	1 Ceiling fan 1 No. 2 Trozen fitting 2 Nos.
17	Hall ...	16' x 16'	1 Batten holder with 1 No. dome.
18	Waiting Room ...	12' x 16'	1 Trozen fitting 2 Nos. 2 Ceiling fan 1 No. 3 Batten holder with 1 „ T. E. shade.
19	Prescribing room ...	10' x 11'	1 Ceiling fan 1 „
20	Examination room ...	8' x 11'	1 Trozen fitting 1 „ 2 Raise and fall drop- 1 „ fixture. 3 Batten holder with 2 Nos. T. E. shade (bath- room).
21	Medical Officers room ...	12' x 16'	1 Trozen fitting 2 „ 2 Ceiling fan 1 No.
22	Office room ...	9' x 16'	1 Trozen fitting 2 Nos. 2 Ceiling fan 1 No.
23	Varandhas	1 Batten holder with 26 Nos. dome.
24	Allround the Building	1 Bulk Head fittings 18 „

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ತಿಪಟೂರು ಆಸ್ಪತ್ರೆಯ ಕಟ್ಟಡಕ್ಕೆ ವಿದ್ಯುತ್ ಉಪಕರಣಗಳನ್ನು ಒದಗಿಸುವುದಕ್ಕೆ 7,171 ರೂಪಾಯಿಗಳು ಖರ್ಚಾಗಿದೆ ಎಂದು ಅಂದಾಜುಮಾಡಿದ್ದಾರೆಂದು ಹೇಳಿದ್ದೀರಿ, ಆದರೆ ಅದು ಸರಿಯಲ್ಲ. ಈಗ ಅದಕ್ಕೆ 39 ಸಾವಿರ ರೂಪಾಯಿಗಳು ಖರ್ಚಾಗಿದೆ ಎಂಬುದು ತಮ್ಮ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ಅದರಲ್ಲಿ 7,171 ರೂಪಾಯಿಗಳು ವಿದ್ಯುಚ್ಛಕ್ತಿಯ ಉಪಕರಣಗಳನ್ನು ಒದಗಿಸುವುದಕ್ಕೆ ಖರ್ಚಾಗಿದೆ. ಇನ್‌ಸ್ಟಾಲೇಷನ್ ಮತ್ತು ಉಪಕರಣಗಳ ಸಲುವಾಗಿ ಖರ್ಚಾಗಿರತಕ್ಕ ಹಣ ಎಲ್ಲಾ ಸೇರಿ 32,157 ರೂಪಾಯಿಗಳು ಖರ್ಚಾಗಿದೆ.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ವಿದ್ಯುತ್ ಉಪಕರಣ ಮತ್ತು ವಿದ್ಯುಚ್ಛಕ್ತಿಯನ್ನು ಒದಗಿಸುವುದಕ್ಕೆ ಎನ್ನು ಅಂದಾಜು ಮಾಡಿದ್ದೀರೋ-ಅದು ಇದರಲ್ಲಿ ಪ್ರಪೋರ್ಷನ್‌ನೇಟಾಗಿ ಸೇರಿಕೊಂಡಿದೆಯೇ ?

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ವಿದ್ಯುತ್ ಉಪಕರಣ ಮತ್ತು ವಿದ್ಯುಚ್ಛಕ್ತಿ ಒದಗಿಸಲು ಎಷ್ಟು ಬೇಕೋ ಅಷ್ಟನ್ನು ರಿಕ್ವೈರ್‌ಮೆಂಟ್ ನೋಡಿಕೊಂಡು ಮಾಡಬೇಕಾಗುತ್ತದೆ. ಆ ಪ್ರಕಾರ ಎಷ್ಟು ಮೇಟ್ ಆಗಿದೆಯೆಂದು ತಿಳಿಯಬೇಕು.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ಆ ಆಸ್ಪತ್ರೆಯಲ್ಲಿರತಕ್ಕ ಕೆಲವು ರೂಮುಗಳು 10'x16' ಆಳತೆ ಇದೆ. ಆ ರೂಮಿಗೆ ಎರಡು ಫ್ಯಾನುಗಳನ್ನು ಹಾಕಿದ್ದಾರೆ. ಈಗ ಆ ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ಹಾಕಿರತಕ್ಕ ಉಪಕರಣಗಳು ಏನೇನು ಇವೆಯೇ ಅವುಗಳ ಅವಶ್ಯಕತೆ ಇದೆಯೇ ಎಂದು ಪಬ್ಲಿಕ್ ಹೆಲ್ತ್ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರನ್ನು ಕೇಳಿದ್ದೀರಾ ?

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ಆ ಉಪಕರಣಗಳ ಅವಶ್ಯಕತೆ ಇದೆಯೆಂದು ಇರಾಖೆಯವರು ಹೇಳಿದ್ದಾರೆ. ಆದ್ದರಿಂದ ಅವುಗಳನ್ನು ಅಲ್ಲಿ ಇನ್‌ಸ್ಟಾಲ್ ಮಾಡಿದೆ.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ಡಾಕ್ಟರಾಗಲಿ, ಅಸಿಸ್ಟೆಂಟ್ ಇಂಜಿನಿಯರಾಗಲಿ ಆ ಉಪಕರಣಗಳಿಗೆ ಸಂಬಂಧಪಟ್ಟ ಬಿಲ್ಲಿಗೆ ಸೈನ್ ಹಾಕದೆ ಹಾಗೆಯೇ ಬರ್ ಪಾಸ್ ಮಾಡಿರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ಹಾಗೆ ಅನಾವಶ್ಯಕವಾಗಿ ಬರ್ ಪಾಸ್ ಮಾಡುವುದಿಲ್ಲ. ಅಲ್ಲಿಗೆ ಉಪಕರಣ ಮತ್ತು ವಿದ್ಯುಚ್ಛಕ್ತಿಯನ್ನು ಒದಗಿಸಬೇಕು, ಇನ್‌ಸ್ಟಾಲ್ ಮಾಡಿ ಫಿಟಿಂಗ್ ಮಾಡಿ ಕೊಡಬೇಕು. ಅದರಂತೆ ಅವರು ಕೆಲಸ ಮಾಡಿದ್ದಕ್ಕೆ ಬರ್ ಮಾಡಿದ್ದಾರೆಯೇ ಹೊರತು, ಅನಾವಶ್ಯಕವಾಗಿ ಬಿಲ್ಲು ಪಾಸ್ ಮಾಡಿಲ್ಲ.

Sri C. J. MUCKANNAPPA.—Does it include merely lights and fans or will it include Heating Circuit also ?

Sri G. B. SHANKAR RAO.—This does not include heating Circuit

Sri K. LAKKAPPA.—Is it not a fact that the electrification estimate has been exorbitantly made just to help the contractor ?

Sri G. B. SHANKAR RAO.—It is not so.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ಆ ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ವೈರು ಸರಿಯಾಗಿಲ್ಲದಿರುವುದರಿಂದ ಒಂದು ದಿವಸಕ್ಕೆ 10-12 ಬಲ್ಬುಗಳು ಬರ್ಸಾಗುತ್ತಿವೆ. ಇದರ ಬಗ್ಗೆ ಇದುವರೆಗೂ ಸರ್ಕಾರದವರು ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳದೇ ಇರುವುದಕ್ಕೆ ಕಾರಣವೇನು ?

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ಅದರ ಬಗ್ಗೆ ಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಂಡಿದ್ದೇವೆ. ಫೋಲ್ಟೇಜ್ ನಲ್ಲಿ ಬದಲಾವಣೆಯಾಗುತ್ತಿದ್ದುದರಿಂದ ವಿದ್ಯುತ್ ಉಪಕರಣಗಳು ಸರಿಯಾಗಿ ಕೆಲಸ ಮಾಡುವುದಕ್ಕೆ ಆಗುತ್ತಿರಲಿಲ್ಲ. ಈಗ ಅದನ್ನು ಸರಿಪಡಿಸಿರುವುದರಿಂದ ಚೆನ್ನಾಗಿ ಕೆಲಸ ಮಾಡುತ್ತಿದೆ.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ಅಲ್ಲಿ ಒಂದು ದಿವಸಕ್ಕೆ 10-12 ಬಲ್ಬುಗಳು ಒಡೆದು ಹೋಗುತ್ತಿವೆ. ವೈರು ಸರಿಯಾಗಿಲ್ಲ ಎಂದು ಈ ಸಭೆಯಲ್ಲಿ ಪ್ರಶ್ನೆಯನ್ನು ತಂದಿದ್ದೇನೆ. ಅದನ್ನು ಮಾನ್ಯ ಮುಖ್ಯಮಂತ್ರಿಗಳಿಗೂ ಮತ್ತು ಹೆಲ್ತ್ ಶಾಖೆಯ ಮಂತ್ರಿಗಳಿಗೂ ಖುದ್ದಾಗಿ ತೋರಿಸಿದ್ದೇನೆ. ಇಷ್ಟೆಲ್ಲಾ ಮಾಡಿದಮೇಲೆ ಸರ್ಕಾರದವರು ಈ ಬಗ್ಗೆ ಏನು ಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಂಡಿದ್ದಾರೆ ?

ಶ್ರೀ ಜಿ. ಬಿ. ಶಂಕರರಾವ್.—ಅದರ ಬಗ್ಗೆ ಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಂಡು ಫೋಲ್ಟೇಜನ್ನು ಸರಿಪಡಿಸಿದ್ದೇವೆ. ಈಗ ಅಲ್ಲಿ ವಿದ್ಯುತ್ ಉಪಕರಣಗಳು ಸರಿಯಾಗಿ ಕೆಲಸ ಮಾಡುತ್ತಿವೆ. ಮತ್ತೆ ಇನ್ನೇನು ಕ್ರಮವನ್ನು ತೆಗೆದುಕೊಳ್ಳಬೇಕೋ ನಮಗೆ ಗೊತ್ತಾಗುತ್ತಿಲ್ಲ.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣನಿದ್ದಪ್ಪ.—ಸರ್ಕಾರದ ಹಣ ದುರುಪಯೋಗವಾಗುತ್ತಿದೆ, ಎಂದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ತಂದರೂ ಕೂಡ ಅದಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟವರ ಮೇಲೆ ಕ್ರಮವನ್ನು ತೆಗೆದು ಕೊಂಡು ಆ ಹಣವನ್ನು ವಸೂಲು ಮಾಡದೇ ಇರುವುದಕ್ಕೆ ಕಾರಣವೇನು ?

Mr. SPEAKER.—It is purely hypothetical.

Social Welfare Officer for the Welfare of Harijans and Girijans.

*Q.—216. Smt. B. L. SUBBAMMA (Chickmagalur).—

Will the Government be pleased to state :—

(a) since when the post of Social Welfare Officer for the welfare of Harijans and Girijans in Chickmagalur District is vacant ;

(b) the reasons for not filling up the post ;

(c) whether they would fill up the post early ?

A.—Sri S. NIJALINGAPPA (Chief Minister).—

(a) The post is not vacant.

(b) and (c) Do not arise in view of reply to caluse (a).

ಶ್ರೀಮತಿ ಬಿ. ಎಂ. ಸುದ್ದಮ್ಮ.—ನಾನು ಪ್ರಶ್ನೆಯನ್ನು ಕೇಳಿದ ನಂತರ ಚಿಕ್ಕಮಗಳೂರು ಜಿಲ್ಲೆಯ ಹರಿಜನ ಹಾಗೂ ಗಿರಿಜನರ ಕ್ಷೇಮಾಭಿವೃದ್ಧಿಗಳನ್ನು ನೋಡಿಕೊಳ್ಳಲು ಸಮಾಜ ಕಲ್ಯಾಣ ಅಧಿಕಾರಿಯನ್ನು ನೇಮಕ ಮಾಡಿರುವುದರಿಂದ ನಾನು ಉಪ ಪ್ರಶ್ನೆಗಳನ್ನು ಕೇಳುವುದಿಲ್ಲ.

State Social Welfare Board.

*Q.—315. Smt. SUSHILA BAI HIRACHAND SHAH (Bagewadi).—

Will the Government be pleased to state :—

the number of members from each District in the State Social Welfare Board (their names may be furnished) ?

A.—Sri S. NIJALINGAPPA (Chief Minister).—

No particular number of members from any district is fixed.

The names of Members of the Board is appended below :—

- 1 Dr. (Mrs) Bhatia.
- 2 Smt. B. K. Saraswathamma.
- 3 Smt. Zehra Khatoon Abdul Basith.
- 4 Smt. Vaidehi.
- 5 Smt. Jayalakshmi Jogi Siddaiah.